

APPROVED



MULTI POINT INSPECTION CHECK LIST

ABOVE & BEYOND

Section 1	Vehicle and Retailer Information	Inspection Date								
		Workshop Reference No.								
		Retailer CI Code								
		Retailer Name								
		Vehicle Model								
		Model Year								
		Colour								
		VIN								
		Registration Number								
		Date of First Registration / Original In Service Date								
		Current Mileage								
		Date/Mileage Last Service Performed								
		Date/Mileage Next Service Due								
Vehicle Source		<table border="1"> <tr> <td>LRFS Ex Lease</td> <td>Other Ex Lease</td> <td>Ex Demo</td> <td>Part Ex / Trade In</td> </tr> <tr> <td>Auction</td> <td>JLR Wholesale</td> <td colspan="2">Other (Specify)</td> </tr> </table>	LRFS Ex Lease	Other Ex Lease	Ex Demo	Part Ex / Trade In	Auction	JLR Wholesale	Other (Specify)	
LRFS Ex Lease	Other Ex Lease	Ex Demo	Part Ex / Trade In							
Auction	JLR Wholesale	Other (Specify)								
Section 2	Vehicle Eligibility	1 Has the vehicle passed an Independent Vehicle History and Independent Mileage Check?	Yes	No						
		2 Is the vehicle free from any warranty restrictions?								
		3 Is the vehicle within the Approved Age and Mileage Parameters?								
		4 Is the vehicle free from current or evidence of non JLR approved aftermarket modifications?								
		5 Does the vehicle have a complete Service History?								
		6 Does the Windshield VIN plate number match the VIN information on A/B pillar/ driver's door area								
		If "NO" to any of the above, STOP and notify Service Manager and Approved Manager. If "YES", continue with the MPI								
Section 3	Preliminary Checks	Meets JLR Preparation Standards								
		Yes	No	Rectified	N/A					
		7 Owner's Handbook complete and present?								
8 Complete Vehicle Service History? (Booklet or On-line)										
9 All keys present and operational?										
10 Vehicle roadworthiness certification (MOT or local standard)										
11 Recalls, Service Campaigns and Software Updates										
12 In Control Services										
Section 4	Interior - General	13 General Interior Condition								
		14 Veneer / wood								
		15 Glove box, console box and trim								
		16 Ashtray and stowage compartment door								
		17 Roof opening panel and roof blind								
		18 Sun visor and vanity mirror								
		19 Restraint / airbag system								
		20 Seat Occupant Sensing system								
		21 Child safety door latches								
		22 Seat belts								
		23 Steering column and steering lock								
		24 Door handles (interior)								
		25 Seats								
26 Trim, carpets and mats										
27 Headlining and Trim										
28 Head restraint										
29 (IF EQUIPPED) Rear and side window blinds										
30 (IF EQUIPPED) Accessories										
Section 5	Electrical Tests	31 Stored Diagnostic Trouble Codes (DTC)								
		32 (IF EQUIPPED) PHEV and EV Battery State of Health								
		33 Fuses (condition/proper rating)								
		34 Warning lights								
		35 Window operation								
		36 Central locking system								
		37 Seat adjustment								
		38 Mirrors								
		39 Interior lights								
		40 Clocks								
		41 Cigarette lighter and all 12v, USB and HDMI sockets								
		42 Horns								
		43 Wipers								
		44 Washer jets								
		45 Instrument panel illumination								

APPROVED



ABOVE & BEYOND

MULTI POINT INSPECTION CHECK LIST

		Meets JLR Preparation Standards				
		Yes	No	Rectified	N/A	
Section 5 (continued)	Electrical Tests	46 Audio system	/			
		47 Speakers	/			
		48 Battery				
		Midtronics Code				
		Voltage				
		49 Alarm system	/			
		50 Warning chimes	/			
		51 Interior Mood Lighting				/
		52 (IF EQUIPPED) Surround Cameras				/
		53 (IF EQUIPPED) Rear reversing camera and parking aid sensors	/			
		54 (IF EQUIPPED) Roof opening panel	/			
55 (IF EQUIPPED) Rear seat entertainment systems	/					
56 (IF EQUIPPED) Voice control activation system	/					
57 (IF EQUIPPED) Multi-Function Display	/					
58 (IF EQUIPPED) Bluetooth Connectivity	/					
59 (IF EQUIPPED) Tyre Pressure Monitoring System (TPMS)	/					
Section 6	Heating / Air Conditioning Systems	60 Automatic and manual modes	/			
		61 Blower motor	/			
		62 Air distribution and vent controls	/			
		63 HVAC pollen filter	/			
		64 Outlet temperature (heating and cooling)	/			
		65 Exterior temperature display	/			
		66 Heated windshields	/			
		67 (IF EQUIPPED) Heated and Cooled Seats	/			
68 (IF EQUIPPED) Remote Park Heat with Timed Climate				/		
Section 7	Electrical Tests - Exterior	69 Head lamps	/			
		70 Parking lights	/			
		71 Day Light Running Lights	/			
		72 Tail lamps	/			
		73 Fog lamps	/			
		74 Hazard warning lamps	/			
		75 Brake Stop lamps	/			
		76 Reversing lamps	/			
		77 Turn signal indicators	/			
		78 License plate lamps	/			
		79 (IF EQUIPPED) PHEV and EV Charging Cables				/
80 (IF EQUIPPED) Electrically Deployable Tow Bar				/		
81 (IF EQUIPPED) Headlamp levelling	/					
Section 8	Exterior - General	82 General body and paintwork	/			
		83 Panel alignment/fit	/			
		84 Wheels	/			
		85 Doors	/			
		86 Bumpers and front fascia	/			
		87 Front grille, trim and mouldings	/			
		88 Glass (including roof panel, if applicable)	/			
		89 Mirror glass	/			
		90 Exterior lamps and reflectors	/			
		91 Fuel flap / fuel cap	/			
		92 Fuel filler	/			
		93 Badges and nameplates	/			
		94 (IF EQUIPPED) Convertible Folding Top				/
		95 (IF EQUIPPED) Accessories				/
		Include the relevant vehicle silhouette to record any exterior issues with the vehicle. These are available from the Inspection Information section of TOPix				
Section 9	Luggage Compartment	96 Tool kit	/			
		97 Spare Tyre or Tyre Repair kit	/			
		98 Trim and carpet	/			
		99 Back of rear seats	/			
		100 Boot / Trunk or Tailgate	/			
		101 (IF EQUIPPED) Power Tailgate or Boot / Trunk	/			
Section 10	Engine Area	102 Bonnet / Hood latch	/			
		103 Engine oil	/			
		104 Power steering pump / hoses	/			
		105 Cooling system fluid	/			

MULTI POINT INSPECTION CHECK LIST

		Meets JLR Preparation Standards																																
		Yes	No	Rectified	N/A																													
Section 10 (continued)	Engine Area																																	
	106 Coolant hoses	/																																
	107 Cooling fans and motors	/																																
	108 Brake master cylinder and booster	/																																
	109 Clutch master cylinder				/																													
	110 Automatic / manual transmission system	/																																
	111 Washer fluid	/																																
	112 Air filters	/																																
	113 Wiring	/																																
	114 Vacuum hoses	/																																
115 Drive belts	/																																	
116 Underbonnet Appearance	/																																	
Section 11	Undercarriage / Drivetrain	117 Frame / underbody	/																															
		118 Suspension	/																															
		119 Steering	/																															
		120 Fluid leaks	/																															
		121 Engine and transmission mounts	/																															
		122 Brake lines and couplings	/																															
		123 Exhaust system	/																															
		124 Wheel bearings	/																															
		125 Brake Pad Thickness (mm)	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>10</td> <td>10</td> <td>10</td> <td>10</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	10	10	10	10																
		Front		Rear																														
	Left	Right	Left	Right																														
	10	10	10	10																														
	126 Brake Disc Thickness (mm) - Steel discs Brake Disc Weight (kg) - Carbon Ceramic discs	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25									
	Front		Rear																															
	Left	Right	Left	Right																														
	34	35	26	26																														
	37	31	23	25																														
	33.9	33.9	25	25																														
	127 Brake Fluid	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25									
	Front		Rear																															
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
128 Wheel specification	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
129 Tyre specifications	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
130 Tyre condition	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
131 Tyre tread depths (mm)	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> <th colspan="2">Spare</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>3</td> <td>6</td> <td>6</td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>0</td> <td>6</td> <td>6</td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>6</td> <td>6</td> <td>6</td> <td></td> <td></td> </tr> </tbody> </table>				Front		Rear		Spare		Left	Right	Left	Right	Left	Right	4	3	6	6			4	0	6	6			3	6	6	6		
Front		Rear		Spare																														
Left	Right	Left	Right	Left	Right																													
4	3	6	6																															
4	0	6	6																															
3	6	6	6																															
132 Wheel nuts	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
133 (IF EQUIPPED) Differential fluid level	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
134 (IF EQUIPPED) Transfer case fluid level	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
135 Universal joints / CV joints / CV boots	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25										
Front		Rear																																
Left	Right	Left	Right																															
34	35	26	26																															
37	31	23	25																															
33.9	33.9	25	25																															
Section 12	Tests - Stationary	Mileage before Stationary Tests	<table border="1"> <thead> <tr> <th colspan="2">Front</th> <th colspan="2">Rear</th> </tr> <tr> <th>Left</th> <th>Right</th> <th>Left</th> <th>Right</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>35</td> <td>26</td> <td>26</td> </tr> <tr> <td>37</td> <td>31</td> <td>23</td> <td>25</td> </tr> <tr> <td>33.9</td> <td>33.9</td> <td>25</td> <td>25</td> </tr> </tbody> </table>				Front		Rear		Left	Right	Left	Right	34	35	26	26	37	31	23	25	33.9	33.9	25	25								
		Front		Rear																														
		Left	Right	Left	Right																													
		34	35	26	26																													
		37	31	23	25																													
		33.9	33.9	25	25																													
		136 Hot / Cold start	/																															
		137 Engine / Motor noises	/																															
138 Engine idling	/																																	
139 Fuel pump / lines / hoses	/																																	
140 Starter / alternator	/																																	
141 Instrument pack gauges	/																																	
142 Fluid leaks	/																																	
Section 13	Tests - Road	143 (IF EQUIPPED) Electronic Air Suspension	/																															
		144 Trip Computer	/																															
		145 Engine / Motor Performance	/																															
		146 Vibration	/																															
		147 Wind noise	/																															
		148 Stability and pull	/																															
		149 General handling	/																															
		150 Steering wheel alignment	/																															
		151 Foot brake	/																															
		152 ABS braking system	/																															
		153 Emergency brake	/																															
		154 Squeaks and Rattles	/																															

APPROVED



ABOVE & BEYOND

MULTI POINT INSPECTION CHECK LIST

			Meets JLR Preparation Standards			
			Yes	No	Rectified	N/A
Section 13 (continued)	Tests - Road	155 (IF EQUIPPED) Dynamic Stability Control (DSC) and Electronic Traction Control (ETC) Systems	/			
		156 (IF EQUIPPED) Terrain Response™ system	/			
		157 (IF EQUIPPED) Hill Descent Control	/			
		158 (IF EQUIPPED) Cruise Control	/			
		159 (IF EQUIPPED) Adaptive Cruise Control				/
		160 (IF EQUIPPED) Driver Safety Systems	/			
		161 (IF EQUIPPED) Driver Assistance Systems	/			
		162 (IF EQUIPPED) Head Up Display				/
		163 (IF EQUIPPED) Stop / Start System	/			
		164 (IF EQUIPPED) Automatic transmission	/			
		165 (IF EQUIPPED) Manual transmission and Clutch				/
		166 (IF EQUIPPED) Convertible Folding Top / Defender Hood				/
		167 (IF EQUIPPED) Navigation system	/			
			Mileage after Road Test			
Section 14	Emissions	168 Emissions tests	/			
		169 (IF EQUIPPED) Diesel Exhaust Fluid System (AdBlue™)	/			
Section 15	Technician Notes					
Section 16	Signatures	L2 Technician, Service Manager and Approved/Sales Manager signatures are required to certify that the vehicle has been inspected against JLR Approved Used Vehicle Preparation Standards and any rectification work carried out to those standards.				
		L2 Inspection Technician Name	Signature	Date		
		Rectification L2 Technician Name, if different to above	Signature	Date		
		Service Manager Name	Signature	Date		
		Approved / Sales Manager Name	Signature	Date		

Retain fully completed and signed document on file to assist with the Approved Assessment process